



National Aeronautics and
Space Administration

Jet Propulsion Laboratory
California Institute of Technology
Pasadena, California




Surface Water and Ocean Topography (SWOT) Mission

SWOT Science Team Meeting

June 26–28, 2017

Toulouse, France

<http://swot.jpl.nasa.gov>



Science Data System Processing
Overview

Curtis Chen, Nathalie Steunou,
Roger Fjørtoft



Team Organization



- Joint US+French Algorithm Development Team (ADT):
 - Develops and implements L1 and L2 science processing software
 - Defines L1 and L2 data products for science users
 - ADT includes JPL/CNES Project and Science Team representatives
- JPL and CNES Science Data Systems (SDSs) run common set of science processors built from ADT-delivered code (albeit within different production environments)
 - CNES SDS processes nadir altimeter and Eurasia HR data
 - JPL SDS processes LR data and non-Eurasia HR data
 - All L2 data will be distributed by both US and French distribution centers regardless of which side did processing
 - ♦ Identical data at both centers since no duplication of processing
- Calibration and validation (Cal/Val) of SWOT products will be done by joint US+French team that includes Science Team representatives




Processing System Organization



- Processing related to Nadir Altimeter (including Radiometer, Orbit Ephemeris, etc.) has high heritage from previous missions
- KaRIn processing is new for SWOT and is main focus of ADT effort
 - Data are split into Low-Rate (LR, ~17 Mbps) and High-Rate (HR, ~350 Mbps) data streams out of KaRIn
 - LR and HR data streams are processed by separate ground processing chains in SDS
 - ♦ HR algorithms are tailored to hydrology
 - ♦ LR algorithms are tailored to oceanography
 - Within each SDS processing chain, flow is split into 'processors' and 'products', which are basic organizational units for documentation, work split, etc.
 - ♦ Processors run ADT-developed algorithms and software to produce data products
 - ♦ Some products are 'standard data products' that will be archived and made available to Science Team (see talk by J. Hausmann and H. Vadon)
 - ♦ Other products are 'intermediate data products' that are generated only to facilitate processing architecture (not archived or publicly available)






Radiometer, POE/MOE, KaRIn Calibration





KaRIn LR Flow







Science Team Involvement



- Science Definition Team / Science Team representatives to ADT have been involved in data product definitions and algorithm choices to date
- Science Team interaction will continue in many ways:
 - ADT meetings with Science Team representation
 - Direct interaction between algorithm developers and Science Team
 - Review of Algorithm Theoretical Basis Documents (ATBDs); see ATBD topic
 - Review of prototype products
 - Selection and/or provision of geophysical models provided on products
 - Involvement in select code and simulation sharing
 - Science Team meetings, reviews, etc.



Algorithm Development Schedule



- Focus on developing and validating performance of prototype KaRIn processors during remainder of CY2017 and early CY2018
 - Prototypes will be tested using simulated data
 - Algorithm Theoretical Basis Documents (ATBDs) will be written to document algorithms that have been validated with prototype software
 - ♦ ATBDs will be reviewed by Science Team representatives (see ATBD topic)
 - Prototype data products will be generated from simulations and prototype software
 - ♦ Prototype products and documentation will be made available for Science Team evaluation by 2018 Science Team meeting
- Initial delivery of operational processing software to SDS will be in late CY2018
- Further releases of processing software with algorithm updates are planned through validation phase after launch